

Halogenové studiové žárovky, jednopaticové



Druh použití


- Profesionální filmová a televizní práce
- Divadelní a koncertní pódia
- Zábava

Vlastnosti produktu


- Provoz na síťové napětí: 120 V | 230 V | 240 V
- Teplota chromatičnosti: 3 000 K (s delší životností)
- Teplota chromatičnosti: 3 200 K (pro profesionální filmovou a televizní práci)




Technický list řady výrobků




341357_HALOGEN STUDIO LAMP 64670




341359_HALOGEN STUDIO LAMP 64673




341361_HALOGEN STUDIO LAMP 64716



339603_HALOGEN STUDIO LAMP 64744




339607_HALOGEN STUDIO LAMP 64756




341116_HALOGEN STUDIO LAMP 93734


Technický list řady výrobků




339605_HALOGEN STUDIO LAMP 64754



339927_HALOGEN STUDIO LAMP 64777, 64787, 64796



341112_HALOGEN STUDIO LAMP 64788



339929_HALOGEN STUDIO LAMP 64789




339931_HALOGEN STUDIO LAMP 64805



340665_HALOGEN STUDIO LAMP 64815

Technický list řady výrobků



341114_HALOGEN STUDIO LAMP 64818

Technický list řady výrobků

Technické údaje

| Popis výrobku | Informace o produktu | Parametry | Rozměry & váha | | | |
|--------------------|----------------------|------------------|----------------|----------|---------------|--------------|
| | Odkaz na objednávku | Jmenovité napětí | Průměr | Délka | Průměr vlákna | Délka vlákna |
| 64670 500 W 230 V | 64670 | 230 V | 23.0 mm | 90.0 mm | 11,0 mm | |
| 64670 500 W 240 V | 64670 | 240 V | 23.0 mm | 90.0 mm | 11,0 mm | |
| 64673 300 W 230 V | 64673 | 230 V | 18.0 mm | 90.0 mm | 13,0 mm | |
| 64673 300 W 240 V | 64673 | 240 V | 18.0 mm | 90.0 mm | 13,0 mm | |
| 64674 500 W 230 V | 64674 | 230 V | 18.0 mm | 90.0 mm | 18,0 mm | |
| 64674 500 W 240 V | 64674 | 240 V | 18.0 mm | 90.0 mm | 18,0 mm | |
| 64678 800 W 230 V | 64678 | 230 V | 19.0 mm | 101.0 mm | 13,0 mm | |
| | 800W 230V | | | | | |
| 64680 500 W 230 V | 64680 | 230 V | 22.0 mm | 74.9 mm | 10,0 mm | |
| | A1244 500 | | | | | |
| 64680 500 W 240 V | 64680 | 240 V | 22.0 mm | 74.9 mm | 10,0 mm | |
| | A1244 500 | | | | | |
| 64716 600 W 230 V | 64716 GKV | 230 V | 19.0 mm | 101.0 mm | 13,0 mm | |
| | 600W | | | | | |
| 64716 600 W 240 V | 64716 | 240 V | 19.0 mm | 101.0 mm | 13,0 mm | |
| 64717 650 W 230 V | 64717 | 230 V | 23.0 mm | 90.0 mm | 33,0 mm | |
| 64717 650 W 240 V | 64717 | 240 V | 23.0 mm | 90.0 mm | 33,0 mm | |
| 64718 650 W 230 V | 64718 | 230 V | 23.0 mm | 90.0 mm | 10,0 mm | |
| 64718 650 W 240 V | 64718 T/27 | 240 V | 23.0 mm | 90.0 mm | 10,0 mm | |
| | GCT | | | | | |
| 64719 650 W 230 V | 64719 | 230 V | 26.0 mm | 110.0 mm | 11,0 mm | |
| 64720 650 W 230 V | 64720 | 230 V | 26.0 mm | 110.0 mm | 17,0 mm | |
| 64721 650 W 230 V | 64721 | 230 V | 26.0 mm | 140.0 mm | 17,0 mm | |
| 64743 1000 W 120 V | 64743 FEL | 120 V | 20.0 mm | 101.0 mm | 24,4 mm | |
| | 1000W | | | | | |
| 64744 1000 W 230 V | 64744 | 230 V | 26.0 mm | 110.0 mm | 15,0 mm | |
| 64744 1000 W 240 V | 64744 | 240 V | 26.0 mm | 110.0 mm | 15,0 mm | |
| 64745 1000 W 230 V | 64745 | 230 V | 26.0 mm | 110.0 mm | 15,0 mm | 13,00 mm |
| | CP/70 100 | | | | | |
| 64745 1000 W 240 V | 64745 | 240 V | 26.0 mm | 110.0 mm | 15,0 mm | |
| 64747 1000 W 230 V | 64747 | 230 V | 26.0 mm | 140.0 mm | 15,0 mm | 13,00 mm |
| | CP/71 FKJ | | | | | |
| 64747 1000 W 240 V | 64747 | 240 V | 26.0 mm | 140.0 mm | 15,0 mm | |
| 64752 1200 W 230 V | 64752T/29 | 230 V | 27.0 mm | 125.0 mm | 15,0 mm | |
| | FWS 12 | | | | | |
| 64752 1200 W 240 V | 64752T/29 | 240 V | 27.0 mm | 125.0 mm | 15,0 mm | |
| | FWS 12 | | | | | |
| 64754 1200 W 230 V | 64754 | 230 V | 27.0 mm | 125.0 mm | 15,0 mm | |
| 64756 1200 W 230 V | 64756 | 230 V | 26.0 mm | 140.0 mm | 15,0 mm | |
| | CP/93 120 | | | | | |
| 64777 2000 W 230 V | 64777 | 230 V | 35.0 mm | 175.0 mm | 19,0 mm | |
| 64787 2000 W 230 V | 64787 | 230 V | 35.0 mm | 160.0 mm | 19,0 mm | |
| | CP/75 200 | | | | | |

Technický list řady výrobků

| Popis výrobku | Informace o produktu | Parametry | Rozměry & váha | | | |
|---------------------|----------------------|------------------|----------------|----------|---------------|--------------|
| | Odkaz na objednávku | Jmenovité napětí | Průměr | Délka | Průměr vlákna | Délka vlákna |
| 64788 2000 W 230 V | 64788 CP72 FTM | 230 V | 35.0 mm | 145.0 mm | 19,0 mm | |
| 64788 2000 W 240 V | 64788 CP/72 200 | 240 V | 35.0 mm | 145.0 mm | 19,0 mm | |
| 64789 2000 W 230 V | 64789 CP/73 FKK | 230 V | 35.0 mm | 210.0 mm | 19,0 mm | |
| 64789 2000 W 240 V | 64789 | 240 V | 35.0 mm | 210.0 mm | 19,0 mm | |
| 64796 2500 W 230 V | 64796 | 230 V | 35.0 mm | 175.0 mm | 19,0 mm | |
| 64805 5000 W 230 V | 64805 | 230 V | 60.0 mm | 279.0 mm | 33,0 mm | 26,00 mm |
| 64805 5000 W 240 V | 64805 | 240 V | 61.0 mm | 279.0 mm | 33,0 mm | |
| 64815 10000 W 230 V | 64815 | 230 V | 80.0 mm | 380.0 mm | 35,0 mm | |
| 64818 20000 W 230 V | 64818 | 230 V | 100.0 mm | 550.0 mm | 50,0 mm | |
| 93723 1200 W 80 V | HP 1200W 80V G2 | 120 V | 25.4 mm | 120.7 mm | 12,7 mm | |
| 93734 1000 W 240 V | 93734 | 240 V | 20.0 mm | 102.0 mm | 27,0 mm | |

| Popis výrobku | Životnost | Další údaje o produktu | Vlastnosti | Kategorizace specifická pro danou zemi |
|--------------------|---------------------|------------------------|------------------------|--|
| | Střední doba života | Patice | Provozní poloha hořáku | Kód ANSI |
| 64670 500 W 230 V | 300 h | GY9.5 | s90 | GCV/GVH |
| 64670 500 W 240 V | 300 h | GY9.5 | s90 | GCV/GVH |
| 64673 300 W 230 V | 200 h | GY9.5 | Jakýkoli | FSL |
| 64673 300 W 240 V | 200 h | GY9.5 | Jakýkoli | FSK |
| 64674 500 W 230 V | 200 h | GY9.5 | Jakýkoli | FRH |
| 64674 500 W 240 V | 200 h | GY9.5 | Jakýkoli | FRJ |
| 64678 800 W 230 V | 250 h | G9.5 | s90 | Other |
| 64680 500 W 230 V | 50 h | GY9.5 | Jakýkoli | Other |
| 64680 500 W 240 V | 50 h | GY9.5 | Jakýkoli | Other |
| 64716 600 W 230 V | 250 h | G9.5 | s90 | GKV |
| 64716 600 W 240 V | 250 h | G9.5 | s90 | GKV |
| 64717 650 W 230 V | 150 h | GY9.5 | s90 | FRL |
| 64717 650 W 240 V | 150 h | GY9.5 | s90 | Other |
| 64718 650 W 230 V | 400 h | GY9.5 | s90 | GCK/GCT |
| 64718 650 W 240 V | 400 h | GY9.5 | s90 | GCK/GCT |
| 64719 650 W 230 V | 750 h | GX9.5 | s90 | Other |
| 64720 650 W 230 V | 100 h | GX9.5 | s90 | Other |
| 64721 650 W 230 V | 100 h | G22 | s90 | FKH |
| 64743 1000 W 120 V | 300 h | G9.5 | Jakýkoli | FEL |
| 64744 1000 W 230 V | 750 h | GX9.5 | s90 | FWP |
| 64744 1000 W 240 V | 750 h | GX9.5 | s90 | FWP |
| 64745 1000 W 230 V | 200 h | GX9.5 | s90 | FVA |
| 64745 1000 W 240 V | 200 h | GX9.5 | s90 | FVA |

Technický list řady výrobků

| | Životnost | Další údaje o produktu | Vlastnosti | Kategorizace specifická pro danou zemi |
|---------------------|---------------------|------------------------|------------------------|--|
| Popis výrobku | Střední doba života | Patice | Provozní poloha hořáku | Kód ANSI |
| 64747 1000 W 230 V | 200 h | G22 | s90 | FKJ |
| 64747 1000 W 240 V | 200 h | G22 | s90 | FKJ |
| 64752 1200 W 230 V | 400 h | GX9.5 | s90 | FWS |
| 64752 1200 W 240 V | 400 h | GX9.5 | s90 | FWS |
| 64754 1200 W 230 V | 200 h | GX9.5 | s90 | Other |
| 64756 1200 W 230 V | 200 h | G22 | s90 | Other |
| 64777 2000 W 230 V | 400 h | G22 | s90 | Other |
| 64787 2000 W 230 V | 400 h | G22 | s90 | Other |
| 64788 2000 W 230 V | 400 h | GY16 | s90 | FTM |
| 64788 2000 W 240 V | 400 h | GY16 | s90 | FTM |
| 64789 2000 W 230 V | 400 h | G38 | s90 | FKK/FKP |
| 64789 2000 W 240 V | 400 h | G38 | s90 | FKK/FKP |
| 64796 2500 W 230 V | 400 h | G22 | s90 | Other |
| 64805 5000 W 230 V | 400 h | G38 | s90 | Other |
| 64805 5000 W 240 V | 400 h | G38 | s90 | Other |
| 64815 10000 W 230 V | 350 h | G38 | Other | Other |
| 64818 20000 W 230 V | 350 h | G38 | Other | Other |
| 93723 1200 W 80 V | 300 h | G22 | Other | Other |
| 93734 1000 W 240 V | 300 h | G9.5 | Jakýkoli | FEP |

| Popis výrobku | LIF | Logistická data | Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|-------------------|--------|----------------------------------|---|---|
| | | EAN 10 of contained light source | Date of Declaration | Primary Article Identifier |
| 64670 500 W 230 V | T/25 | 4008321624017 | 22-05-2024 | 4008321624017 |
| 64670 500 W 240 V | T/25 | 4008321624031 | 22-05-2024 | 4050300283449 4008321624031 |
| 64673 300 W 230 V | CP/81 | 4052899015463 | 05-03-2024 | 4008321099785 4052899015463 |
| 64673 300 W 240 V | CP/81 | 4052899015487 | 05-03-2024 | 4008321099808 4008321131263 4052899015487 |
| 64674 500 W 230 V | CP/82 | 4052899015500 | 05-03-2024 | 4008321099822 4052899015500 |
| 64674 500 W 240 V | CP/82 | 4052899015524 | 22-05-2024 | 4008321099846 4052899015524 |
| 64678 800 W 230 V | | 4008321624055 | 22-05-2024 | 4050300609102 4008321624055 |
| 64680 500 W 230 V | A1/244 | 4008321098573 | 22-05-2024 | 4008321098573 |
| 64680 500 W 240 V | A1/244 | 4008321098597 | 22-05-2024 | 4008321098597 |
| 64716 600 W 230 V | | 4008321623973 | 22-05-2024 | 4008321623973 |
| 64716 600 W 240 V | | 4008321623997 | 22-05-2024 | 4008321623997 |
| 64717 650 W 230 V | CP/89 | 4008321624215 | 22-05-2024 | 4050300296692 4008321624215 |

Technický list řady výrobků

| Popis výrobku | LIF | Logistická data | Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---------------------|--------|-------------------------------------|---|--|
| | | EAN 10 of contained light source | Date of Declaration | Primary Article Identifier |
| 64717 650 W 240 V | CP/89 | 4008321624239 | 22-05-2024 | 4008321624239 |
| 64718 650 W 230 V | T/27 | 4008321624253 | 22-05-2024 | 4008321624253 |
| 64718 650 W 240 V | T/27 | 4008321624277 | 22-05-2024 | 4008321624277 |
| 64719 650 W 230 V | T/12 | 4008321638076 | 22-05-2024 | 4008321638076 |
| 64720 650 W 230 V | CP/23 | 4008321638090 | 22-05-2024 | 4050300017716 4008321638090 |
| 64721 650 W 230 V | CP/39 | 4008321638113 | 22-05-2024 | 4008321638113 |
| 64743 1000 W 120 V | | 4008321225702 | 22-05-2024 | 4008321225702 |
| 64744 1000 W 230 V | T/19 | 4008321554833 | 22-05-2024 | 4008321554833 |
| 64744 1000 W 240 V | T/19 | 4008321554857 | 22-05-2024 | 4008321554857 |
| 64745 1000 W 230 V | CP/70 | 4008321468611 | 22-05-2024 | 4008597083105 4008321468611 |
| 64745 1000 W 240 V | CP/70 | 4008321468659 | 22-05-2024 | 4008321088901 4008321468659 |
| 64747 1000 W 230 V | CP/71 | 4008321468635 | 22-05-2024 | 4008321046949 4008321468635 4062172147071 |
| 64747 1000 W 240 V | CP/71 | 4008321468741 | 22-05-2024 | 4008321116895 4008321468741 |
| 64752 1200 W 230 V | T/29 | 4008321624475 | 22-05-2024 | 4008321624475 |
| 64752 1200 W 240 V | T/29 | 4008321624499 | 22-05-2024 | 4008321624499 |
| 64754 1200 W 230 V | CP/90 | 4008321624529 | 22-05-2024 | 4008321624529 |
| 64756 1200 W 230 V | CP/93 | 4008321624550 | 22-05-2024 | 4008597000379 4050300296722 4008321624550 |
| 64777 2000 W 230 V | CP/92 | 4008321632197 | 22-05-2024 | 4008321632197 |
| 64787 2000 W 230 V | CP/75 | 4008321653994 | 22-05-2024 | 4008321653994 |
| 64788 2000 W 230 V | CP/72 | 4008321632173 | 22-05-2024 | 4008321632173 |
| 64788 2000 W 240 V | CP/72 | 4008321632180 | 22-05-2024 | 4050300283258 4008321098870 4008321632180 |
| 64789 2000 W 230 V | CP/73 | 4008321654021 | 22-05-2024 | 4050300219103 4008321654021 |
| 64789 2000 W 240 V | CP/73 | 4008321654038 | 22-05-2024 | 4008321089939 4008321654038 |
| 64796 2500 W 230 V | CP/91 | 4008321653987 | 22-05-2024 | 4050300406428 4008321653987 |
| 64805 5000 W 230 V | CP/85 | 4052899129566 | 15-05-2024 | 4052899129566 |
| 64805 5000 W 240 V | CP/85 | 4052899129573 | 15-05-2024 | 4050300283401 4008321088895 4008321664532 4052899129573 |
| 64815 10000 W 230 V | CP/83 | 4050300780696 | 05-03-2024 | 4050300780696 |
| 64818 20000 W 230 V | CP/99 | 4008321792051 | 05-03-2024 | 4050300782713 4008321792051 |
| 93723 1200 W 80 V | CP/110 | 4008321370594 | 22-05-2024 | 4008321370594 |

Technický list řady výrobků

| Popis výrobku | LIF | Logistická data | Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|--------------------|-------|-------------------------------------|---|-------------------------------|
| | | EAN 10 of contained light source | Date of Declaration | Primary Article Identifier |
| 93734 1000 W 240 V | CP/77 | 4050300350073 | 22-05-2024 | 4050300350073 |

| Popis výrobku | Candidate List Substance 1 | Declaration No. in SCIP database |
|--------------------|---------------------------------------|---------------------------------------|
| 64670 500 W 230 V | No declarable substances contained | No declarable substances contained |
| 64670 500 W 240 V | No declarable substances contained | In work |
| 64673 300 W 230 V | No declarable substances contained | No declarable substances contained |
| 64673 300 W 240 V | No declarable substances contained | No declarable substances contained |
| 64674 500 W 230 V | No declarable substances contained | No declarable substances contained |
| 64674 500 W 240 V | No declarable substances contained | No declarable substances contained |
| 64678 800 W 230 V | No declarable substances contained | In work |
| 64680 500 W 230 V | No declarable substances contained | No declarable substances contained |
| 64680 500 W 240 V | No declarable substances contained | No declarable substances contained |
| 64716 600 W 230 V | No declarable substances contained | No declarable substances contained |
| 64716 600 W 240 V | No declarable substances contained | No declarable substances contained |
| 64717 650 W 230 V | No declarable substances contained | In work |
| 64717 650 W 240 V | No declarable substances contained | No declarable substances contained |
| 64718 650 W 230 V | No declarable substances contained | No declarable substances contained |
| 64718 650 W 240 V | No declarable substances contained | No declarable substances contained |
| 64719 650 W 230 V | No declarable substances contained | No declarable substances contained |
| 64720 650 W 230 V | No declarable substances contained | In work |
| 64721 650 W 230 V | No declarable substances contained | No declarable substances contained |
| 64743 1000 W 120 V | No declarable substances contained | No declarable substances contained |
| 64744 1000 W 230 V | No declarable substances contained | No declarable substances contained |
| 64744 1000 W 240 V | No declarable substances contained | No declarable substances contained |

Technický list řady výrobků

| Popis výrobku | Candidate List Substance 1 | Declaration No. in SCIP database |
|---------------------|------------------------------------|------------------------------------|
| 64745 1000 W 230 V | No declarable substances contained | In work |
| 64745 1000 W 240 V | No declarable substances contained | No declarable substances contained |
| 64747 1000 W 230 V | No declarable substances contained | In work |
| 64747 1000 W 240 V | No declarable substances contained | No declarable substances contained |
| 64752 1200 W 230 V | No declarable substances contained | No declarable substances contained |
| 64752 1200 W 240 V | No declarable substances contained | No declarable substances contained |
| 64754 1200 W 230 V | No declarable substances contained | No declarable substances contained |
| 64756 1200 W 230 V | No declarable substances contained | In work |
| 64777 2000 W 230 V | No declarable substances contained | No declarable substances contained |
| 64787 2000 W 230 V | No declarable substances contained | No declarable substances contained |
| 64788 2000 W 230 V | No declarable substances contained | No declarable substances contained |
| 64788 2000 W 240 V | No declarable substances contained | In work |
| 64789 2000 W 230 V | No declarable substances contained | In work |
| 64789 2000 W 240 V | No declarable substances contained | No declarable substances contained |
| 64796 2500 W 230 V | No declarable substances contained | In work |
| 64805 5000 W 230 V | No declarable substances contained | No declarable substances contained |
| 64805 5000 W 240 V | No declarable substances contained | No declarable substances contained |
| 64815 10000 W 230 V | No declarable substances contained | No declarable substances contained |
| 64818 20000 W 230 V | No declarable substances contained | In work |
| 93723 1200 W 80 V | No declarable substances contained | No declarable substances contained |
| 93734 1000 W 240 V | No declarable substances contained | No declarable substances contained |

Technický list řady výrobků

Bezpečnostní pokyny

Aby se zabránilo zranění osob nebo poškození majetku, halogenové výbojky smí být použity pouze ve vhodných svítidlech s vhodnými mechanismy (ochranné kryty, mřížky, atd.), aby se zajistilo, že v případě prasknutí výbojky neuniknou žádné díly/střepey a že během provozu neunikne ultrafialové záření. Kromě toho je nutné varovným piktogramem oznámit, že světelné zdroje vydávají vysoké úrovně tepla. Podrobné informace jsou k dispozici na vyžádání.

Pokyny k použití

Podrobnější informace k použití a grafiku najdete v technickém listu.

Reference / odkazy

Přehled studiových žárovek lze nalézt na plakátu studiových halogenových žárovek.
Další informace o halogenových světelných zdrojích pro studia, pódia a TV viz brožuru:
„Dobré zprávy pro showbusiness“
„Halogenové vysokonapěťové světelné zdroje“ – seznam referenčních odkazů

Vyloučení odpovědnosti

Změny bez předchozího upozornění vyhrazeny. Chyby a opomenutí vyhrazeny. Vždy se ujistěte, že používáte nejnovější vydání.
