

ORIGINAL - GLASS WEDGE BASE

Original spare part



The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.



Product family datasheet

Technical data

| Product description | Product information | General Product Information | Electrical Data | | |
|---|---|-----------------------------|-----------------|-----------------|-----------------|
| | Application (Category and Product specific) | Global order reference | Power input | Nominal voltage | Nominal wattage |
| ORIGINAL - WEDGE BASE W16W | Auxiliary lamp | 921 | 19.4 W | 12.8 V | 16 W |
| ORIGINAL - WEDGE BASE WY16W | Auxiliary lamp | 921NA | 19.4 W | 12.8 V | 16 W |
| ORIGINAL - WEDGE BASE W2,3W | Auxiliary lamp | 2723 | 2.3 W | 12.0 V | 2 W |
| ORIGINAL - WEDGE BASE W21/5W | Auxiliary lamp | 7515 | 25 / 6 W | 12.0 V | 21/5 W |
| ORIGINAL - WEDGE BASE W3W | Auxiliary lamp | 2821 | 3 W | 12.0 V | 3 W |
| ORIGINAL - WEDGE BASE W21W | Auxiliary lamp | 7505 | 25 W | 12.0 V | 21 W |
| ORIGINAL - WEDGE BASE W5W | Auxiliary lamp | 2825 | 5 W | 13.5 V | 5 W |
| ORIGINAL - WEDGE BASE WY21W ¹⁾ | Auxiliary lamp | 7504 | 25 W | 12.0 V | 21 W |
| ORIGINAL - WEDGE BASE 2721 | Auxiliary lamp | 2721 | 1.22 W | 12.0 V | 1 W |
| ORIGINAL - WEDGE BASE 2722 | Auxiliary lamp | 2722 | 2 W | 12.0 V | 2 W |
| ORIGINAL - WEDGE BASE 2820 | Auxiliary lamp | 2820 | 2.2 W | 12.0 V | 2 W |

| Product description | Power input tolerance | Test voltage | Photometric Data | Physical Attributes & Dimensions | |
|---|-----------------------|--------------|-----------------------|----------------------------------|---------|
| | | | Nominal luminous flux | Lamp base | Length |
| ORIGINAL - WEDGE BASE W16W | ±10 % | 13.5 V | 310 lm | W2.1x9.5d | 38.0 mm |
| ORIGINAL - WEDGE BASE WY16W | ±10 % | 13.5 V | 190 lm | W2.1x9.5d | 38.0 mm |
| ORIGINAL - WEDGE BASE W2,3W | ±8 % | 13.5 V | 18.6 lm | W2x4.6d | 20.0 mm |
| ORIGINAL - WEDGE BASE W21/5W | ±6 / ±10 % | 13.5 V | 440/35 lm | W3x16q | 47.5 mm |
| ORIGINAL - WEDGE BASE W3W | ±10 % | 13.5 V | 22 lm | W2.1x9.5d | 26.8 mm |
| ORIGINAL - WEDGE BASE W21W | ±6 % | 13.5 V | 460 lm | W3x16d | 47.5 mm |
| ORIGINAL - WEDGE BASE W5W | ±10 % | 13.5 V | 50 lm | W2.1x9.5d | 26.8 mm |
| ORIGINAL - WEDGE BASE WY21W ¹⁾ | ±6 % | 13.5 V | 280 lm | WX3x16d | 47.5 mm |
| ORIGINAL - WEDGE BASE 2721 | ±15 % | 13.5 V | 7.5 lm | W2x4.6d | 20.0 mm |
| ORIGINAL - WEDGE BASE 2722 | ±15 % | 13.5 V | 12 lm | W2x4.6d | 20.0 mm |
| ORIGINAL - WEDGE BASE 2820 | ±10 % | 13.5 V | 13.5 lm | W2.1x9.5d | 26.8 mm |

| Product description | Diameter | Lifetime Data | | Capabilities | Certificates & standards |
|---|----------|----------------------------|-----------------------------|--------------|--------------------------|
| | | Lifespan B3 | Lifespan Tc | Technology | ECE category |
| ORIGINAL - WEDGE BASE W16W | 16.0 mm | 400 hr | 1000 hr | AUX | W16W |
| ORIGINAL - WEDGE BASE WY16W | 16.0 mm | 400 hr | 1000 hr | AUX | WY16W |
| ORIGINAL - WEDGE BASE W2,3W | 5 mm | 350 hr | 1200 hr | AUX | W2,3W |
| ORIGINAL - WEDGE BASE W21/5W | 20.0 mm | 250 / 600 hr ²⁾ | 500 / 1600 hr ²⁾ | AUX | W21/5W |
| ORIGINAL - WEDGE BASE W3W | 10.3 mm | 1300 hr | 4000 hr | AUX | W3W |
| ORIGINAL - WEDGE BASE W21W | 20.0 mm | 400 hr | 600 hr | AUX | W21W |
| ORIGINAL - WEDGE BASE W5W | 10.0 mm | 350 hr | 1000 hr | AUX | W5W |
| ORIGINAL - WEDGE BASE WY21W ¹⁾ | 20.0 mm | 400 hr | 600 hr | AUX | WY21W |

Product family datasheet

| Product description | Diameter | Lifetime Data | | Capabilities | Certificates & standards |
|----------------------------|----------|---------------|-------------|--------------|--------------------------|
| | | Lifespan B3 | Lifespan Tc | Technology | ECE category |
| ORIGINAL - WEDGE BASE 2721 | 5 mm | 500 hr | 2000 hr | AUX | - |
| ORIGINAL - WEDGE BASE 2722 | 5 mm | 1300 hr | 4000 hr | AUX | - |
| ORIGINAL - WEDGE BASE 2820 | 10.0 mm | 600 hr | 4000 hr | AUX | - |

| Product description | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | | |
|------------------------------|---|--|------------------------------------|----------------------------------|
| | Date of declaration | Primary article identifier | Candidate list substance 1 | Declaration no. in SCIP database |
| ORIGINAL - WEDGE BASE W16W | 26-08-2024 | 4062172374941 4062172396486 4062172374972 4062172396462 4006584393763 4052899135826 4008321349507 4052899406933 4052899250550 4052899444676 4008321298027 4008321100948 | No declarable substances contained | In work |
| ORIGINAL - WEDGE BASE WY16W | 26-08-2024 | 4062172080286 4052899230460 4062172080262 | No declarable substances contained | In work |
| ORIGINAL - WEDGE BASE W2,3W | 26-08-2024 | 4008321012968 4008321094834 | No declarable substances contained | In work |
| ORIGINAL - WEDGE BASE W21/5W | 26-08-2024 | 4062172396387 4052899324312 4052899417892 4062172345415 4052899324589 4062172396400 | No declarable substances contained | In work |
| ORIGINAL - WEDGE BASE W3W | 26-08-2024 | 4052899265578 4052899560833 4050300925745 4052899560802 4062172395847 4050300838663 4050300888187 4050300888231 4052899418813 4052899560772 4062172395861 | No declarable substances contained | In work |
| ORIGINAL - WEDGE BASE W21W | 26-08-2024 | 4052899324244 4062172396288 4052899324565 4062172396264 4052899417878 4062172345392 | No declarable substances contained | In work |

Product family datasheet


| Environmental & Regulatory Information | | | | |
|---|---------------------|---|------------------------------------|----------------------------------|
| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | | | |
| Product description | Date of declaration | Primary article identifier | Candidate list substance 1 | Declaration no. in SCIP database |
| ORIGINAL - WEDGE BASE W5W | 26-08-2024 | 4052899418837 4052899560291 4062172395885 4008321163578 4062172004862 4062172395908 4050300888712 4062172412094 4050300887951 4052899560338 4052899560987 4052899560956 4052899560895 4052899560369 4052899560864 4050300838632 4050300985558 4052899418851 4050300925684 | No declarable substances contained | In work |
| ORIGINAL - WEDGE BASE WY21W ¹⁾ | 26-08-2024 | 4008321165473 4062172345378 4062172396240 4062172294881 | No declarable substances contained | In work |
| ORIGINAL - WEDGE BASE 2721 | 26-08-2024 | 4008321163615 4008321019363 4052899418790 4008321012814 4008321193681 4050300925769 4050300838540 4062172395786 4052899501690 4062172395762 | No declarable substances contained | In work |
| ORIGINAL - WEDGE BASE 2722 | 26-08-2024 | 4052899407251 4008321032249 4008321094803 4050300925783 | No declarable substances contained | In work |
| ORIGINAL - WEDGE BASE 2820 | 26-08-2024 | 4050300888156 4052899560741 4052899560673 4008321094094 | No declarable substances contained | In work |

¹⁾ Amber lamp for clear indicators

²⁾ Filament 1

Product family datasheet

Download Data

| File | |
|---|---|
|  | ref_pim_ams_p_product360degreeimages ORIGINAL W5W 2825 |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

