


# LEDDriving SLT C5W 6430



**LED replacement lamp with a color temperature of up to 5,800 K**

Modern and intense uniform illumination



**Replaces all conventional C5W 24V lamp bases**

Easy upgrade to LED technology with plug & play solution



**Reliable OSRAM quality stands for less lamp replacements**

4-year OSRAM guarantee (refer to [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee) for precise conditions)



### Suitable LED replacement for Festoon types

LEDDriving SLT C5W replacement lamps offer a modern and intense light with a color temperature up to 5,800 Kelvin. These replacement lamps are suitable for all conventional C5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDDriving SLT lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

## Product family datasheet

### Technical data

Product description	Product information		General Product Information	Electrical Data		
	Product type (off-road vs. on-road)	Application (Category and Product specific)	Global order reference	Test voltage	Power input tolerance	Nominal wattage
LEDriving SLT ≙C5W	Off-road ≙ C5W	Mainly used for signal/ indicator/ interior applications	6430DWP	28.0 V	±30 %	0 W

Product description	Nominal voltage	Photometric Data			Physical Attributes & Dimensions
		Color temperature	Luminous flux tolerance	Light color LED	Product weight
LEDriving SLT ≙C5W	24.0 V	5700 K	±30 %	Cool white	2.50 g

Product description	Length	Lamp base	Diameter	Lifetime Data
				Lifespan Tc
LEDriving SLT ≙C5W	30.5 mm	SV8,5-8	10.8 mm	3000 hr


Product description	Guarantee	Lifespan B3	Capabilities	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
			Technology	Primary article identifier
LEDriving SLT ≙C5W	4 years	1500 hr	LED	4062172409742   4062172410717

Product description	Candidate list substance 1	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
LEDriving SLT ≙C5W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	0fd2ac83-4fa2-4d27-8c07-aa485c674ae4   e79a80ca-86f9-4cbf-a93d-2b08ac355d3e

## Product family datasheet

---

### Download Data

File	
	User instruction GPRS_Safety symbols instructions

#### Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

